

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16074	(orthogonal or walsh).clm.	US-PGPUB	OR	OFF	2006/03/01 10:21
L2	3143	"data rate".clm.	US-PGPUB	OR	OFF	2006/03/01 10:21
L3	177	1 and 2	US-PGPUB	OR	OFF	2006/03/01 10:22
L4	371	375/295.ccls.	US-PGPUB	OR	OFF	2006/03/01 10:22
L5	30	375/225.ccls.	US-PGPUB	OR	OFF	2006/03/01 10:22
L6	132	375/146.ccls.	US-PGPUB	OR	OFF	2006/03/01 10:22
L7	526	4 or 5 or 6	US-PGPUB	OR	OFF	2006/03/01 10:22
L8	6	3 and 7	US-PGPUB	OR	OFF	2006/03/01 10:23
L9	108	cir.clm.	US-PGPUB	OR	OFF	2006/03/01 10:23
L10	105	(carrier adj interference).clm.	US-PGPUB	OR	OFF	2006/03/01 10:24
L11	851	(signal adj noise adj ratio).clm.	US-PGPUB	OR	OFF	2006/03/01 10:25
L12	11675	quality near2 signal	US-PGPUB	OR	OFF	2006/03/01 10:25
L13	12494	9 or 10 or 11 or 12	US-PGPUB	OR	OFF	2006/03/01 10:25
L14	33	3 and 13	US-PGPUB	OR	OFF	2006/03/01 10:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1342	375/295.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:09
S2	286	375/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:09
S3	496	375/146.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:09
S4	692	370/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:09
S5	208	370/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:10
S6	672	370/332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:10
S7	191	370/333.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:10
S8	1995	370/468.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:10
S9	373	370/493.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:10

EAST Search History

S10	6025	S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8 or S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:11
S11	2269	"orthogonal codes"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:11
S12	13837	cir	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:11
S13	616	carrier adj interference adj ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:12
S14	19869	snr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:12
S15	33875	S12 or S13 or S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:12
S16	67023	"data rate"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:13
S17	635	S15 with S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:13
S18	8	S10 and S11 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:17
S19	35587	walsh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:17

EAST Search History

S20	36845	S11 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:17
S21	340	S16 with S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:18
S22	60702	"375"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:18
S23	89629	"370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:18
S24	142408	S22 or S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:18
S25	263	S21 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:18
S26	19814804	@ad<"20001020"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:18
S27	97	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:41
S28	2	"6690652".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:45
S29	4435843	number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:46

EAST Search History

S30	787	S29 adj3 S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:46
S31	2209542	rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:46
S32	209	S30 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:47
S33	74	S26 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:21
S34	2	"5892792".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:59
S35	195	multi-peak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:59
S36	1009725	detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:59
S37	3	S35 adj S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:59


Search Results
BROWSE
SEARCH
IEEE XPLORE GUIDE

Results for "(['data rate' and 'walsh')<in>metadata)"

☒ e-mail

 Your search matched **24** of **1322957** documents.

 A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options
[View Session History](#)
[New Search](#)
Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key


Indicates full text access

IEEE JNL IEEE Journal or Magazine
IEE JNL IEE Journal or Magazine
IEEE CNF IEEE Conference Proceeding
IEE CNF IEE Conference Proceeding
IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **An excess signaling concept with Walsh-Hadamard spreading and joint d**
 Vanhaverbeke, F.; Moeneclaey, M.; Sari, H.;
[Global Telecommunications Conference, 2000. GLOBECOM '00. IEEE](#)
 Volume 2, 27 Nov.-1 Dec. 2000 Page(s):906 - 909 vol.2
 Digital Object Identifier 10.1109/GLOCOM.2000.891270
[Abstract](#) | Full Text: [PDF\(264 KB\)](#) **IEEE CNF**
[Rights and Permissions](#)
- ☐ 2. **Bit error probability analysis for FRAMES WCDMA downlink receivers**
 Latva-aho, M.;
[Vehicular Technology, IEEE Transactions on](#)
 Volume 47, Issue 4, Nov. 1998 Page(s):1119 - 1133
 Digital Object Identifier 10.1109/25.728482
[Abstract](#) | Full Text: [PDF\(408 KB\)](#) **IEEE JNL**
[Rights and Permissions](#)
- ☐ 3. **Walsh Code Assignment and Data Structure for Variable Data Rate Comm**
 Michael Mao Wang; Brown, T.; Fleming, P.; Hua Xu;
[Intelligent Signal Processing and Communication Systems, 2005. ISPACS 2005 International Symposium on](#)
 13-16 Dec. 2005 Page(s):425 - 428
[Abstract](#) | Full Text: [PDF\(4248 KB\)](#) **IEEE CNF**
[Rights and Permissions](#)
- ☐ 4. **Using modified fast Walsh transform (MFWT) to accommodate increasing**
IEEE 802.11b PHY WLAN to 22 Mbps
 Ata, I.H.M.; Qiu Pei Liang;
[Communications, Circuits and Systems and West Sino Expositions, IEEE 2002 Conference on](#)
 Volume 1, 29 June-1 July 2002 Page(s):534 - 538 vol.1
[Abstract](#) | Full Text: [PDF\(341 KB\)](#) **IEEE CNF**
[Rights and Permissions](#)
- ☐ 5. **Modified LMMSE receiver for DS-CDMA-Part II. Performance in FMA2 dow**
 Larva-aho, M.;
[Spread Spectrum Techniques and Applications, 1998. Proceedings., 1998 IEE International Symposium on](#)
 Volume 2, 2-4 Sept. 1998 Page(s):658 - 662 vol.2

Digital Object Identifier 10.1109/ISSSTA.1998.723868

[Abstract](#) | [Full Text: PDF\(552 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **6. Improving direct sequence code division multiple access performance in selective fading channels**
Khirallah, C.; Coulton, P.; Mohsin, S.; Ruan, J.;
[Emerging Technologies: Frontiers of Mobile and Wireless Communication, 2004 the IEEE 6th Circuits and Systems Symposium on](#)
Volume 1, 2004 Page(s):353 - 356 Vol.1
Digital Object Identifier 10.1109/CASSET.2004.1322995
[Abstract](#) | [Full Text: PDF\(404 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **7. Walsh coding across multiple antennas for high data rate wireless service**
McCormick, A.C.; Grant, P.M.; Thompson, J.S.;
[Acoustics, Speech, and Signal Processing, 2001. Proceedings. \(ICASSP '01\). International Conference on](#)
Volume 4, 7-11 May 2001 Page(s):2449 - 2452 vol.4
Digital Object Identifier 10.1109/ICASSP.2001.940496
[Abstract](#) | [Full Text: PDF\(300 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **8. OCDD/CDMA: a new DS/CDMA with orthonormal code diversity detection**
Byoung-Hoon Kim; Byeong Gi Lee;
[Communications, IEEE Transactions on](#)
Volume 49, Issue 4, April 2001 Page(s):709 - 720
Digital Object Identifier 10.1109/26.917777
[Abstract](#) | [Full Text: PDF\(244 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **9. High data rate enhancement for beyond 3G services using complete codes**
Khirallah, C.; Coulton, P.; Mohsin, S.; Zein, N.;
[Personal, Indoor and Mobile Radio Communications, 2004. PIMRC 2004. 15th International Symposium on](#)
Volume 3, 5-8 Sept. 2004 Page(s):2246 - 2250 Vol.3
[Abstract](#) | [Full Text: PDF\(764 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **10. Multiple chip-rate DS/CDMA system and its spreading code dependent performance analysis**
Chen, X.H.; Lang, T.; Oksman, J.;
[Communications, IEEE Proceedings-](#)
Volume 145, Issue 5, Oct. 1998 Page(s):371 - 377
[Abstract](#) | [Full Text: PDF\(608 KB\)](#) [IEEE JNL](#)

- ☐ **11. Space-time coding for ultra-wideband OFDM-based wireless system**
Shing Tenqchen; Ying-Haw Shu; Min-Chang Sun; Wu-Shiung Feng;
[Circuits and Systems, 2004. MWSCAS '04. The 2004 47th Midwest Symposium on](#)
Volume 3, 25-28 July 2004 Page(s):iii - 235-8 vol.3
Digital Object Identifier 10.1109/MWSCAS.2004.1354335
[Abstract](#) | [Full Text: PDF\(506 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **12. DS-CDMA for uplink low data rate transmission in multibeam satellite communication radio capacity performance**
Xu, Y.L.; Weng, J.; Le-Ngoc, T.;
[Electrical and Computer Engineering, 2003. IEEE CCECE 2003. Canadian Conference on](#)

Volume 3, 4-7 May 2003 Page(s):1523 - 1526 vol.3
Digital Object Identifier 10.1109/CCECE.2003.1226194

[Abstract](#) | Full Text: [PDF\(351 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. A computationally efficient algorithm for code decision, in CCK based hi wireless communications**
Batabyal, S.; Sarmah, S.J.;
[Personal Wireless Communications, 2002 IEEE International Conference on](#)
15-17 Dec. 2002 Page(s):143 - 146
Digital Object Identifier 10.1109/ICPWC.2002.1177264
[Abstract](#) | Full Text: [PDF\(359 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. Efficient integration of multi-rate traffic for 3rd generation DS-CDMA syst**
Fong, M.-H.; Bhargava, V.K.;
[Communications, 1999. ICC '99. 1999 IEEE International Conference on](#)
Volume 3, 6-10 June 1999 Page(s):1426 - 1430 vol.3
Digital Object Identifier 10.1109/ICC.1999.765439
[Abstract](#) | Full Text: [PDF\(496 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **15. BER performance analysis using co-channel interference Bernoulli mode rate DS/CDMA system with parallel correlator**
Chen, X.H.; Lang, T.; Okerman, J.;
[Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Symposium on](#)
Volume 3, 22-25 Sept. 1996 Page(s):1068 - 1072 vol.3
Digital Object Identifier 10.1109/ISSSTA.1996.563469
[Abstract](#) | Full Text: [PDF\(440 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. Line rate(s) selection for cellular DS-CDMA systems with integrated traffi**
Mo-Han Fong; Bhargava, V.K.; Qiang Wang;
[Global Telecommunications Conference, 1995. GLOBECOM '95., IEEE](#)
Volume 3, 13-17 Nov. 1995 Page(s):1809 - 1813 vol.3
Digital Object Identifier 10.1109/GLOCOM.1995.502719
[Abstract](#) | Full Text: [PDF\(524 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **17. A comparison of several algorithms for on-board SAR raw data reduction**
Strodl, K.; Benz, U.; Blaser, F.; Eiting, T.; Moreira, A.;
[Geoscience and Remote Sensing Symposium, 1994. IGARSS '94. 'Surface an Remote Sensing: Technologies, Data Analysis and Interpretation', Internation:](#)
Volume 4, 8-12 Aug. 1994 Page(s):2197 - 2199 vol.4
Digital Object Identifier 10.1109/IGARSS.1994.399691
[Abstract](#) | Full Text: [PDF\(224 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. Reverse-link power allocation in two-hop multimedia CDMA networks**
Walsh, D.; Yanikomeroglu, H.;
[Electrical and Computer Engineering, 2004. Canadian Conference on](#)
Volume 3, 2-5 May 2004 Page(s):1305 - 1308 Vol.3
[Abstract](#) | Full Text: [PDF\(466 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. A multi-mode 0.3-128kb/s transceiver for the 433/868/915MHz ISM bands CMOS**
Quinlan, P.; Crowley, P.; Chanca, M.; Hudson, S.; Hunt, B.; Mulvaney, K.; Ret

C.; Walsh, P.;
Solid-State Circuits Conference, 2004. Digest of Technical Papers. ISSCC. 2004 International
15-19 Feb. 2004 Page(s):274 - 528 Vol.1
Digital Object Identifier 10.1109/ISSCC.2004.1332700
[Abstract](#) | Full Text: [PDF\(431 KB\)](#) | [Multimedia](#) IEEE CNF
[Rights and Permissions](#)

☐ **20. Concatenated orthogonal/PN spreading scheme for cellular DS-CDMA sy integrated traffic**

Fong, M.-H.; Bhargava, V.K.; Wang, Q.;
Communications, 1995. ICC 95 Seattle. Gateway to Globalization, 1995 IEEE Conference on
Volume 2, 18-22 June 1995 Page(s):905 - 909 vol.2
Digital Object Identifier 10.1109/ICC.1995.524233
[Abstract](#) | Full Text: [PDF\(556 KB\)](#) IEEE CNF
[Rights and Permissions](#)

☐ **21. A multimode 0.3-200-kb/s transceiver for the 433/868/915-MHz bands in 0 CMOS**

Quinlan, P.; Crowley, P.; Chanca, M.; Hudson, S.; Hunt, B.; Mulvaney, K.; Ret C.E.; Walsh, P.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 12, Dec. 2004 Page(s):2297 - 2310
Digital Object Identifier 10.1109/JSSC.2004.836330
[Abstract](#) | Full Text: [PDF\(1400 KB\)](#) IEEE JNL
[Rights and Permissions](#)

☐ **22. Effects of frequency offset on MC/CDMA system performance**

Jiho Jang; Kwang Bok Lee;
Vehicular Technology Conference, 1999 IEEE 49th
Volume 1, 16-20 May 1999 Page(s):566 - 570 vol.1
Digital Object Identifier 10.1109/VETEC.1999.778119
[Abstract](#) | Full Text: [PDF\(316 KB\)](#) IEEE CNF
[Rights and Permissions](#)

☐ **23. A sub 1 GHz versatile CMOS wireless transceiver**

Crowley, P.; Chanca, M.; Hudson, S.; Hunt, B.; Mulvaney, K.; Quinlan, P.; Ret C.; Walsh, P.;
Telemetry and Telematics, 2005. The IEE Seminar on (Ref. No. 2005/11009)
11 April 2005 Page(s):7/1 - 7/7
[Abstract](#) | Full Text: [PDF\(433 KB\)](#) IEE CNF

☐ **24. Performance of 1XTREME system for mixed voice and data**

Luukkanen, P.; Rong, Z.; Ma, L.;
Communications, 2001. ICC 2001. IEEE International Conference on
Volume 5, 11-14 June 2001 Page(s):1411 - 1415 vol.5
Digital Object Identifier 10.1109/ICC.2001.937153
[Abstract](#) | Full Text: [PDF\(532 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –